

(a) $N = N_0 e^{kt}$

N_0 = number of koalas when $t=0$

\therefore 18 koalas

$$\therefore N_0 = 18$$

$$\therefore N = 18e^{kt}$$

When $t = 70$, $N = 5000$

$$\therefore 5000 = 18e^{70k}$$

$$\frac{5000}{18} = e^{70k}$$

$$\therefore \log_e\left(\frac{5000}{18}\right) = \log_e e^{70k}$$

$$= 70k \log_e e$$

$$= 70k$$

$$\therefore k = \frac{\log_e\left(\frac{5000}{18}\right)}{70}$$

$$= 0.0803\dots \text{ (by calc)}$$

$$= 0.08 \text{ (to 2 decimal places)}$$

In 2001, it will be 78 years from 1923.

$$\therefore N = 18e^{0.0803\dots \times 78}$$

$$= 9511.515\dots$$

\therefore There will be 9511 koalas in november 2001.

~~(b) (i) $P(A) = \frac{1}{5}$~~

~~(ii) $P(A, B, C, D, E) = P(A \cap B \cap C \cap D \cap E)$
 $= P(A) \times P(B)$~~

(b) (i) The probability that any card drawn is $\frac{1}{5}$

\therefore the probability of a particular card, in this case

$$A, = P(A \tilde{B} \tilde{C} \tilde{D} \tilde{E})$$

$$= \frac{1}{5} \times \frac{4}{5} \times \frac{4}{5} \times \frac{4}{5} \times \frac{4}{5}$$

$$= \frac{256}{3125}$$


$$(ii) P(E) = \left(\frac{1}{5} \times \frac{4}{5} \times \frac{4}{5} \times \frac{4}{5} \times \frac{4}{5}\right) \times \left(\frac{1}{5} \times \frac{4}{5} \times \frac{4}{5} \times \frac{4}{5}\right) \times \left(\frac{1}{5} \times \frac{4}{5} \times \frac{4}{5}\right) \times \left(\frac{1}{5} \times \frac{4}{5}\right) \times 1$$

$$= \frac{256}{3125} \times \frac{64}{625} \times \frac{16}{125} \times \frac{4}{25} \times 1$$

$$= \frac{1048576}{6103515625}$$


(c) (i) y_1 occurs when $\frac{dy}{dt}$ is a maximum, ie, the velocity is at a maximum.

From the diagram, $y_1 \doteq 2 \text{ cm}$



y_2 occurs when $\frac{dy}{ds}$ is a minimum, ie, the velocity is at a minimum.

From the diagram, $y_2 = 7$ cm



Concavity changes at $(1, 2)$ and $(3\frac{1}{2}, 7)$