Your neighbour has fallen from a ladder while cleaning a high window.

Assess the area to see if it is safe. If safe to proceed, approach carefully and ask if the person is alway. If they are conciouss! In immediate danger, (if they are conciouss). In ask if they are in pain and where, if in danger, attempt to remove them from situation, being careful not to exacerbate the pathem. Keep the individual talking as you assess if they are also for all them) (i) Your neighbour has a flower leg wound that is bleeding protusely. (b) (i) Your neighbour has a flower leg wound that is bleeding protusely. (ii) Your neighbour has a flower leg wound that is bleeding protusely. (ii) Your neighbour has a flower leg wound that is bleeding protusely. (iii) Your neighbour has a flower persone to pressure them and alm them down if bleeding is still seeping through, apply more pressure and if that fails apply the useful meanwhile call for assistance and keep?	
in immediate danger (if they are conciouss) a ask if they are in pain and where, if in darger, attempt to remove them train situation, being areful not to exacerbate the problem. Keep the individual talking as you assess if they are chan all for an earth large (or for someone else to call them) (b) (i) Your neighbour has a tower teg wound that is breeding profusely. What actions should you take? [If no medical equipment is present near you) grab a piece of clothing or cord and nap it to tautly (but not tight around the leg Elevate it above the persons head and reasure them and sho than down if bleeding is still seeping through, apply more pressure and if that fails apply a townequel stationer and keep (ii) Your neighbour stops breathing and is unconscious the neighbour conscious Describe how to apply CPR.	
in immediate danger (if they are conciouss) a ask if they are in pain and where, if in darger, attempt to remove them train situation, being areful not to exacerbate the problem. Keep the individual talking as you assess if they are chan all for an earth large (or for someone else to call them) (b) (i) Your neighbour has a tower teg wound that is breeding profusely. What actions should you take? [If no medical equipment is present near you) grab a piece of clothing or cord and nap it to tautly (but not tight around the leg Elevate it above the persons head and reasure them and sho than down if bleeding is still seeping through, apply more pressure and if that fails apply a townequel stationer and keep (ii) Your neighbour stops breathing and is unconscious the neighbour conscious Describe how to apply CPR.	
in immediate danger, lif they are conciouss. In ask if they are in pain and where, if in danger, attempt to remove them from situation, being careful not to exacerbate the problem. Keep the individual talking as you assess if they are oken Call for an ambulance (or for someone else to call them) (i) Your neighbour has a flower leg wound that is breeding profusely. What actions should you take? If no medical equipment is present near you and a piece of clothing or cord and rap it touthy but not tight around the leg Elevate it above the persons head and reassure them and alm them down if bleeding is still seeping through, apply more pressure and if that fails apply in the around the careful Meanwhile call for assistance and keep? (ii) Your neighbour stops breathing and is unconscious. The neighbour conscious Describe how to apply CPR.	
attempt to remove them tram situation being careful not to example the problem. Keep the individual talking as you assess it they are okay. Call for an ambulance (or for someone else to call them) if your neighbour has a lower leg wound that is bleeding profusely. What actions should you take? [IFF no medical equipment is present near you) and not it for tauthy (but not tight around the leg through it about the persons head and reasure them and solm them down if bleeding is still seeping through, apply more pressure and if that fails apply a tournequet about 10 cm about the wound Meanwhile call for assistance and keep 2 your neighbour stops breathing and is unconscious the neighbour conscious.	
attempt to remove them tran situation, being careful not to exacerbate the grollem, keep the individual talking, as you assess it they are oken Call for an ambulance (or for someone else to call them) (i) Your neighbour has a fower leg wound that is bleeding profusely. What actions should you take? [Ff no medical equipment is present near you) grab a piece of clothing or cord and rap it to tautly (but not tight around the leg. Elevate it above the persons head and reasone them and alm them down if bleeding is still seeping through, apply more pressure and if that fails apply a townequet about 10 an above the wound. Meanwhile call for assistance and keep? (ii) Your neighbour stops breathing and is unconscious. The neighbour conscious. Describe how to apply CPR.	
not to exacerbate the grollen, keep the indicidual talking as you assess it they are okey. Call for an ambulance (or for someone else to call them) (b) (i) Your neighbour has a fower leg wound that is bleeding profusely. What actions should you take? [If no medical equipment is present near you) and nap it the tauthy (but not tight about the persons head and reasure them and alm them down of bleeding is still seeping through, apply more pressure and if that fails apply more pressure and if that fails apply a townequet it about 10 an above the cround. Meanwhik call for assistance and keep? (ii) Your neighbour stops breathing and is unconscious. The neighbour conscious.	
taking as you assess it they are okey Call for an ambulance (or for someone else to call them) (b) (i) Your neighbour has a fower leg wound that is bleeding profusely. What actions should you take? If no medical equipment is present near you) and rep it the tauthy (but not tight about the persons head and reasure them and alm them down if bleeding is still seeping through, apply more pressure and if that fails apply a tournequet to bout loan above the wound in the leg to assistance and keep? Your neighbour stops breathing and is unconscious. The neighbour conscious the neighbour conscious.	
What actions should you take? [If no medical equipment is present near you) grab a piece of clothing or cord and rap it the tauthy but not tight around the leg. Elevate it above the persons head and reassure them and alm them down If bleeding is still seeping through, apply more pressure and if that fails apply a townequet about 10 an above the wound Meanwhik call for assistance and keep 2 (ii) Your neighbour stops breathing and is unconscious. The neighbour conscious Describe how to apply CPR.	
What actions should you take? [If no medical equipment is present near you) grab a piece of clothing or cord and rap it the tauthy but not tight around the leg. Elevate it above the persons head and reassure them and alm them down If bleeding is still seeping through, apply more pressure and if that fails apply a townequet about 10 an above the wound Meanwhik call for assistance and keep 2 (ii) Your neighbour stops breathing and is unconscious. The neighbour conscious Describe how to apply CPR.	
(ii) Your neighbour copy of company is present near you) GET no medical equipment is present near you) grab a piece of clothing or cord and rap it to tauthy (but not tight around the leg. Elevate it above the persons head and reassure them and alm them down It bleeding is still seeping through, apply more pressure and if that fails apply a townequet to about 10 an above the wound Meanwhile call for assistance and keep 2 Describe how to apply CPR.	
and rap it to tauthy but not tight around the leg. Elevate it above the persons head and reasure them and alm them down It bleeding is still seeping through, apply more pressure and if that fails apply more pressure and if that fails apply a townequet to assistance and beep 2 Your neighbour stops breathing and is unconscious. The neighbour conscious Describe how to apply CPR.	
and rap it to toutly (but not tight around the leg. Elevate it above the persons head and reasure them and alm them down If bleeding is still seeping through, apply more pressure and if that fails apply a tournequel to assistance and beep 2 your neighbour stops breathing and is unconscious. The neighbour conscious Describe how to apply CPR.	
persons head and reasure them and alm them down If bleeding is still seeping through, apply more pressure and if that fails apply a tournequet about 10 an above the wound. Meanwhile call for assistance and keep 2 your neighbour stops breathing and is unconscious. The neighbour conscious Describe how to apply CPR.	
persons head and reasure them and alm them down It bleeding is still seeping through, apply more pressure and if that fails apply a tournequet about 10 an above the wound. Meanwhile call for assistance and keep Your neighbour stops breathing and is unconscious. The neighbour conscious Describe how to apply CPR.	
then down of bleeding is still seeping through, apply more pressure and if that fails apply a tournequet about 10 an above the wound. Meanwhile call for assistance and keep 2 Your neighbour stops breathing and is unconscious. The neighbour conscious Describe how to apply CPR.	
through, apply more pressure and if that fails apply a tournequel about 10 cm above the wound. Meanwhile call for assistance and keep 2 (ii) Your neighbour stops breathing and is unconscious. The neighbour conscious Describe how to apply CPR.	
fails apply a tournequet about 10 cm above the wound. Meanwhile call for assistance and keep 2 (ii) Your neighbour stops breathing and is unconscious. The neighbour conscious Describe how to apply CPR.	
(ii) Your neighbour stops breathing and is unconscious. The neighbour conscious Describe how to apply CPR.	
Describe how to apply CPR.	0.
	Cal
Check the persons airways to see it they	
check the persons airways to see if they are clear If they aren place 12 hands	
in the centre of their own chest	
going across their chest area instead of	
parallel. Compress their chest area instead of	
30 times and give 2 breaths through their months Tilt their head backwards, holding their nose their shut and 10-give 2 breaths. Repeat until help accives @ Board of Studies NSW 2012	
held and so short and 10 - give 2 breaths. Repeat until	