Question 11 (1 mark)	
How could a way file be optimised for use on the web? the way file Could be compraised.	1
Question 12 (2 marks)	
Compare downloading and streaming video.	2
downloading is getting a copy of that data into your hardish and streaming wides us watching the video online through the use of internet.	

Question 13 (2 marks)	1
What are the advantages of using cascading style sheets when developing websites?	2
The advantages of using cascading style	
Sheet us the editor can see each	
page and the lagout of the pages one	
by me	
The third paper in the second will be a second to the second of the seco	
To act the state of the state o	
Question 14 (3 marks)	
Identify TWO types of video compression and describe an advantage of each.	3
A state of the sta	-
decoding - is at reducing the resordation	
of the video.	À
The second secon	
of the video.	
of the video.	
TO SERVICE TO SERVICE AND A SERVICE AND A SERVICE SERVICE AND A SERVICE SERVICE AND A SERVICE	
THE RESERVE OF THE PROPERTY OF	
and the second of the second o	

(April) It well be

11 3

Question 15 (3 marks)

presentation.
vector shows the pixels as a object
such as a straight line and
betmapped shows each pixel on the Some One Suitability of using vector and
bitmapped in a mustimadia presentation
that new hardware and software is required
for it be affective.
<u> </u>
Forestring 40, First property and the second

SECTIONS AND STREET AND STREET

Codesing Ed Rt seement)

Question 16 (4 marks)

The de	signu nez	d 6	hoad wh	at
560 As	fruchag	walsite	for once	then
i de de	nation re	a bol	which which	60/d
a de	signo neca	e to l	pow the	software.
a hard	1400 16	uica and	e dos d	
coup wit	fur and	the Sa	toty meas	W.Conests
֡֡֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜	ample de	angle linear, no	not stroture is going to be ample linear, non linear and le la	The designa seed to hoar what who single control seed to how what what information seed to how what what sproduce is going to be used ample linear, non linear a loss of the control of the safety and what each to be safety meas